


Township N<sup>o</sup> XVII North, Range N<sup>o</sup> XII East 2<sup>d</sup> Mer.

94  
INDIANA  
N & E 2<sup>d</sup> M.



Chas. Reed  
Total quantity 13168.60

141.20  
141.10  
68.30


Scale of 40 chs to an inch

I do hereby certify that the above Township is a true copy from the original on file in this office.

Surveyor General's Office, Chillicothe March 14<sup>th</sup> 1855

Edmund P. ...






estimated 196

**T XVIII, N, RXII E.** Surveyed by Henry Bryan. 1811

Quantity of both Townships 4,500.00



Township N<sup>o</sup> XVII North, Range N<sup>o</sup> XII East of 2<sup>nd</sup> Meridian. Surveyed by John G. Macan. 1894.

*Description of the bit on the interior. Sectional lines.*

<i>School Sections</i>				
35.36	Good - good farming land - Buck. Ash Y <sup>e</sup>			
25.36	ditto			
26.35	ditto			
25.28	ditto			
24.23	ditto			
23.20	ditto			
23.24	Good farming land - Buck. Ash Y <sup>e</sup>			
19.24	ditto			
18.14	Good - good farming land			
17.13	ditto			
1.12	Good farming land - Buck. Ash Y <sup>e</sup>			



Township N<sup>o</sup> 17 North, Range N<sup>o</sup> 12 East of 1<sup>st</sup> Mer.

Interior Sectional Corners described

Post	Bearing line	Inches	Courses	Links	Quality of the Soil	Post	Bearing line	Inches	Courses	Links
F	Sunn	15	N 60 E	20		15	N 60 E	15	N 60 E	15
G	Ash	15	N 60 E	15	G to H Good Beech	15	N 60 E	15	N 60 E	15
H	Beech	15	N 60 E	15		15	N 60 E	15	N 60 E	15
I	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
J	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
K	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
L	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
M	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
N	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
O	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
P	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
Q	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
R	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
S	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
T	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
U	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
V	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
W	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
X	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
Y	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15
Z	do	15	N 60 E	15		15	N 60 E	15	N 60 E	15


Quarter Section Corners described

From To	Bearing line	Inches	Courses	Links
M to N at 1.	Beech	37	N 2 E	21
	do	0	N 61 E	4
	do	10	N 43 E	5
	do	24	N 70 W	29
L to V at 1.	Beech	30	N 1 E	14
	do	15	N 14 E	15
	do	10	N 4 E	13
	do	9	N 4 E	15
I to X at 1.	Beech	15	N 25 E	12
	do	7	N 10 W	24
H to Y at 1.	Sugar	5	N 1 W	10
	do	24	N 43 E	5
O to W at 1.	Sugar	5	N 75 E	21
	do	7	N 37 W	10
	do	5	N 10 E	3
	do	15	N 56 W	10
	do	4	N 51 E	5
	do	4	N 70 W	15
	do	15	N 24 E	7

HQ



Township N<sup>o</sup> XVII North, Range N<sup>o</sup> XII East 2<sup>d</sup> Mer.



A true copy from the original.

(Offered at public sale, Oct. 1822) Surveyor General's Office, March 14<sup>th</sup> 1822

Edward Liffen Sur. Gen<sup>l</sup>

Dyalan